


FIG. 1A






FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6

The Focal Plane of the NIR - DMA Imaging Spectrograph






FIG. 6A









FIG. 8

Filter 1 Area A-








FIG. 9A

Filter 2



Filter 2



Wavelength (nm)

FIG. 9B






FIG. 9C

Filter 1,2,3



Filter 1,2,3



Wavelength (nm)

FIG. 9D




FIG. 10





FIG. 11A








FIG. 12



Top View of Modulator Side View of Modulator Mirror 1 -- 4 Mirrors Mirror 2 -5 Mirrors Mirror 3 -6 Mirrors FIG. 14 20 Detector 12 Light source that focus into a fiber optic line Light source direction **Fiber Optic** Bundle Fiber Optic-Probe Sample Filter to-Detector FIG. 15 FIG. 16








FIG. 18A








FIG. 21





FIG. 22



=1G. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 26A




FIG. 27

27/58

Walsh Packet Library of Patterns of 0,1,-1 All 24 Patterns for 8 Points




FIG. 28
Modular Fiber Optic Sensor System




FIG. 29




FIG. 30




FIG. 31




FIG. 32

30/58





FIG. 33A







FIG. 33C



32/58







FIG. 33E







E-Probe for Pierced Ears FIG. 37A




FIG. 37B






FIG. 38A










FIG. 39





Typical Wheat Spectrum (Top) and Example Feature Vector (Bottom)






FIG. 41A





Effect of Noise on Regression Error for Standard and Walsh Methods






FIG. 43A



Sample Data Map



Pushbroom Scan for X Spatial Dimension

FIG. 45

Encodement #1

Mirror Column Number




FIG. 46

DMA Programmable Resolution Using 1951 USAF Resolution Target




FIG. 47

Encodegram for X=1, Y=1-4




FIG. 48




FIG. 49A




FIG. 49B




FIG. 49C




FIG. 49D




FIG. 51






FIG. 52



F2, 72 Operation PSS NIR TIR 10 Degree DMD








FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60